

# SAFETY DATA SHEET

## 1. Identification

1. Identification					
Product identifier	Gel Coat Compound				
Other means of identification					
Product Code	1385				
Recommended use	Compound, Polishing Creme				
<b>Recommended restrictions</b>	None known.				
Manufacturer/Importer/Supplier/	Distributor information				
Manufacturer				Australian Distributor	
Company name	Presta Products			Pacer Auto Products Pty Ltd	
Address	361 Fairview Ave			1 Highgate Street	
	Barberton, OH 44203			Auburn NSW 2144	
<b>-</b> · ·	United States		•	Australia	
Telephone	Phone Fax	800-253-252 330-777-831		(02) 9647 2056 (02) 9647 2043	
Website	www.prestaproducts.com	330-777-031	1	www.pacer.com.au	
E-mail	msdsinfo@malcopro.com			sales@pacer.com.au	
Contact person	Technical Department			National Poisons Information Centre	
Emergency phone number	Phone	1-800-424-93	00	131 126	
2. Hazard(s) identification					
Physical hazards	Flammable liquids		Categor	y 4	
Health hazards	Acute toxicity, oral			Category 5	
	Acute toxicity, inhalation		Categor		
	Serious eye damage/eye irritat	tion	Categor		
	Specific target organ toxicity, r		Categor		
	exposure	opeated	Guiogoi	<i>j –</i>	
Environmental hazards	Not classified.				
OSHA defined hazards	Not classified.				
Label elements					
Laber elements	<b>^ ^</b>				
Signal word	Warning				
Hazard statement	Combustible liquid. May be harmful if swallowed. Causes serious eye irritation. May be harmful if				
	inhaled. May cause damage to				
Precautionary statement					
Prevention	Keep away from heat/sparks/open flames/hot surfaces No smoking. Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective gloves/eye protection/face protection.				
Response	If swallowed: Rinse mouth. Do	NOT induce vo	omiting. IF	INHALED: Call a POISON CENTER or	
				iously with water for several minutes.	
				inue rinsing. Call a poison center/doctor if vice/attention. In case of fire: Use	
	appropriate media to extinguis			Accounter in case of file. Use	
Storage	Store in a well-ventilated place. Keep cool. Store away from incompatible materials.				
Disposal	·	·	•	authority requirements. Dispose of	
	contents/container in accordar				
Hazard(s) not otherwise	None known.				
classified (HNOC)					
Supplemental information	None.				

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Aluminium Oxide; Alumina		1344-28-1	20 - < 30
Solvent Naphtha (Petroleum), Medium Aliph.		64742-88-7	10 - < 20
Glycerol		56-81-5	3 - < 5
Polyethylene Glycol Mono(nonylphenyl) Ether		9016-45-9	1 - < 3
Other components below reportable level	S		50 - < 60

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
5. Fire-fighting measures	
Suitable extinguishing media	Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).

Suitable extinguishing media	Alcohor resistant toam. Water log. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Combustible liquid.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material.
	Large Spills: Stop the flow of material, if this is without risk. Use water spray to reduce vapors or divert vapor cloud drift. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.
	Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Keep away from open flames, hot surfaces and sources of ignition. Do not breathe mist or vapor. Avoid contact with eyes. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

#### **Occupational exposure limits**

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Aluminium Oxide; Alumina (CAS 1344-28-1)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Glycerol (CAS 56-81-5)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Biological limit values	No biological exposure limits noted for the	e ingredient(s).	
Appropriate engineering controls	Good general ventilation (typically 10 air of should be matched to conditions. If applic or other engineering controls to maintain a exposure limits have not been established eyewash station.	able, use process enclosu airborne levels below reco	ires, local exhaust ventilation, mmended exposure limits. If
ndividual protection measures	, such as personal protective equipment		
Eye/face protection	Chemical respirator with organic vapor ca	rtridge and full facepiece.	
Skin protection			
Hand protection	Wear appropriate chemical resistant glove	es.	
Other	Wear suitable protective clothing. Use of a	an impervious apron is rec	commended.
Respiratory protection	Chemical respirator with organic vapor ca	rtridge and full facepiece.	
Thermal hazards	Wear appropriate thermal protective cloth	ing, when necessary.	
General hygiene considerations	When using do not smoke. Keep away fro hygiene measures, such as washing after smoking. Routinely wash work clothing a	handling the material and	before eating, drinking, and/or

## 9. Physical and chemical properties

Appearance	Viscous. Cream.
Physical state	Liquid.
Form	Liquid.
Color	White.
Odor	Vanilla
Odor threshold	Not available.
рН	8.8

Melting point/freezing point	3632 °F (2000 °C) estimated
Initial boiling point and boiling	5396 °F (2980 °C) estimated
range Elash point	190.0 °F (87.8 °C)
Flash point	
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.28 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	42000 cP
Viscosity temperature	68 °F (20 °C)
Other information	、 <i>、</i>
Density	10.32 lbs/gal
Flammability class	Combustible IIIA estimated
VOC (Weight %)	12 % By Weight
	,

## 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Chlorine.
Hazardous decomposition products	No hazardous decomposition products are known.

## 11. Toxicological information

#### Information on likely routes of exposure

Inhalation	May be harmful if inhaled. May cause damage to organs through prolonged or repeated exposure by inhalation.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Causes serious eye irritation.
Ingestion	May be harmful if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation.
Information on toxicological eff	fects
Acute toxicity	May be harmful if swallowed. May be harmful if inhaled.
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye irritation	Causes serious eye irritation.
Respiratory or skin sensitizatior	n
<b>Respiratory sensitization</b>	Not available.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
OSHA Specifically Regulate	d Substances (29 CFR 1910.1001-1050)
Not listed.	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	Not available.
Chronic effects	Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure.

## 12. Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the
-	possibility that large or frequent spills can have a harmful or damaging effect on the environment.

<b>–</b> <i>i</i>				
Components		Species	Test Results	
Glycerol (CAS 56-81-5)				
Aquatic				
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	51000 - 57000 mg/l, 96 hours	
Polyethylene Glycol Mono(no	onylphenyl) Ethe	r (CAS 9016-45-9)		
Aquatic				
Crustacea	EC50	Water flea (Daphnia magna)	12.2 mg/l, 48 hours	
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	4.12 - 5.35 mg/l, 96 hours	
* Estimates for product may	be based on add	itional component data not shown.		
Persistence and degradability	No data is ava	ailable on the degradability of this product.		
Bioaccumulative potential	No data availa	able.		
Partition coefficient n-octa	nol / water (log	Kow)		
Glycerol		-1.76		
Mobility in soil	No data availa	No data available.		
Other adverse effects		No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal consideration	ons			
Disposal instructions		Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.		
Local disposal regulations	Dispose in ac	Dispose in accordance with all applicable regulations.		
Hazardous waste code		The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).			
Contaminated packaging		Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.		

## 14. Transport information

DOT

UN number	UN1993
UN proper shipping name	Flammable liquids, n.o.s.
Transport hazard class(es)	
Class	3
Subsidiary risk	-
Label(s)	3
Packing group	III
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	B1, B52, IB3, T4, TP1, TP29
Packaging exceptions	150
Packaging non bulk	203
Packaging bulk	242
ΙΑΤΑ	

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

Transport in bulk according toNot available.Annex II of MARPOL 73/78 andthe IBC Code

#### DOT



## 15. Regulatory information

US federal regulations	This product is a "Hazardou Standard, 29 CFR 1910.12 One or more components a	00.	ned by the OSHA Hazard Communicat
TSCA Section 12(b) Export	Notification (40 CFR 707, Su	ubpt. D)	
Not regulated.			
CERCLA Hazardous Substa	nce List (40 CFR 302.4)		
Not listed.			
SARA 304 Emergency relea	se notification		
Not regulated.			
OSHA Specifically Regulate	ed Substances (29 CFR 1910	0.1001-1050)	
Not listed.			
Superfund Amendments and Re	eauthorization Act of 1986 (	SARA)	
Hazard categories	Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No		
SARA 302 Extremely hazar	dous substance		
Not listed.			
SARA 311/312 Hazardous chemical	No		
SARA 313 (TRI reporting)			
Chemical name		CAS number	% by wt.
Aluminium Oxide; Alumir	na	1344-28-1	20 - < 30

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

#### **US state regulations**

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100) Not listed.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

Polyethylene Glycol Mono(nonylphenyl) Ether (CAS 9016-45-9)

US. Massachusetts RTK - Substance List

Aluminium Oxide; Alumina (CAS 1344-28-1) Glycerol (CAS 56-81-5)

#### US. New Jersey Worker and Community Right-to-Know Act

Aluminium Oxide; Alumina (CAS 1344-28-1) Glycerol (CAS 56-81-5)

#### US. Pennsylvania Worker and Community Right-to-Know Law

Aluminium Oxide; Alumina (CAS 1344-28-1) Glycerol (CAS 56-81-5)

## US. Rhode Island RTK

Aluminium Oxide; Alumina (CAS 1344-28-1)

#### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

Issue date	22-10-2020
Version #	04

Disclaimer	Presta Products cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision Information	Hazard(s) identification: Hazard statement Hazard(s) identification: Response First-aid measures: Inhalation Handling and storage: Precautions for safe handling Physical & Chemical Properties: Multiple Properties Toxicological information: Acute toxicity Toxicological information: Inhalation Disposal considerations: Disposal instructions Regulatory Information: Safety Phrases GHS: Classification