



# SAFETY DATA SHEET

## 1. Identification

**Product identifier** Plum Crazy Hand Glaze

**Other means of identification**

**Product Code** 1147

**Recommended use** Compound, Polishing Creme

**Recommended restrictions** None known.

### Manufacturer/Importer/Supplier/Distributor information

#### Manufacturer

**Company name** Malco Products, Inc.

**Address** 361 Fairview Ave  
Barberton, OH 44203  
United States

**Telephone** Phone 800-253-2526  
Fax 330-753-2025

**Website** [www.malcopro.com](http://www.malcopro.com)

**E-mail** [msdsinfo@malcopro.com](mailto:msdsinfo@malcopro.com)

**Contact person** Technical Department

**Emergency phone number** Phone 1-800-424-9300

#### Australian Distributor

Pacer Auto Products Pty Ltd  
1 Highgate Street  
Auburn NSW 2144  
Australia  
(02) 9647 2056  
(02) 9647 2043  
[www.pacer.com.au](http://www.pacer.com.au)  
[sales@pacer.com.au](mailto:sales@pacer.com.au)  
National Poisons Information Centre  
131 126

## 2. Hazard(s) identification

**Physical hazards** Flammable liquids Category 4

**Health hazards** Acute toxicity, oral Category 5  
Serious eye damage/eye irritation Category 2A  
Specific target organ toxicity, repeated exposure Category 2

**Environmental hazards** Not classified.

**OSHA defined hazards** Not classified.

**Label elements**



**Signal word** Warning

**Hazard statement** Combustible liquid. May be harmful if swallowed. Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure.

### Precautionary statement

**Prevention** Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective gloves/eye protection/face protection.

**Response** If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media to extinguish.

**Storage** Store in a well-ventilated place. Keep cool.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

**Hazard(s) not otherwise classified (HNOC)** None known.

**Supplemental information** None.

## 3. Composition/information on ingredients

### Mixtures

| Chemical name                                 | Common name and synonyms | CAS number | %         |
|---|--------------------------|------------|-----------|
| Propan-2-ol (Isopropyl Alcohol)               |                          | 67-63-0    | 5 - < 10  |
| Glycerol                                      |                          | 56-81-5    | 3 - < 5   |
| KEROSENE                                      |                          | 8008-20-6  | 3 - < 5   |
| Solvent Naphtha (Petroleum),<br>Medium Aliph. |                          | 64742-88-7 | 3 - < 5   |
| D-limonene Untreated                          |                          | 5989-27-5  | 1 - < 3   |
| Other components below reportable levels      |                          |            | 80 - < 90 |

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

## 4. First-aid measures

|   |  |
|---|--|
| <b>Inhalation</b>   | Move to fresh air. Call a physician if symptoms develop or persist.  |
| <b>Skin contact</b>   | Wash off with soap and water. Get medical attention if irritation develops and persists.   |
| <b>Eye contact</b>  | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.  |
| <b>Ingestion</b>  | Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.  |
| <b>Most important symptoms/effects, acute and delayed</b>                     | Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Prolonged exposure may cause chronic effects.  |
| <b>Indication of immediate medical attention and special treatment needed</b> | Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.   |
| <b>General information</b>  | If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. |

## 5. Fire-fighting measures

|  |  |
|--|--|
| <b>Suitable extinguishing media</b>                                  | Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).   |
| <b>Unsuitable extinguishing media</b>                                | Do not use water jet as an extinguisher, as this will spread the fire.   |
| <b>Specific hazards arising from the chemical</b>                    | The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. During fire, gases hazardous to health may be formed. |
| <b>Special protective equipment and precautions for firefighters</b> | Self-contained breathing apparatus and full protective clothing must be worn in case of fire.  |
| <b>Fire fighting equipment/instructions</b>                          | In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.   |
| <b>Specific methods</b>  | Use standard firefighting procedures and consider the hazards of other involved materials.   |
| <b>General fire hazards</b>  | Combustible liquid.  |

## 6. Accidental release measures

|  |  |
|--|--|
| <b>Personal precautions, protective equipment and emergency procedures</b> | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.  |
| <b>Methods and materials for containment and cleaning up</b>               | <p>Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material.</p> <p>Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.</p> <p>Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Clean surface thoroughly to remove residual contamination.</p> <p>Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.</p> |

**Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

**Precautions for safe handling** Keep away from open flames, hot surfaces and sources of ignition. Do not breathe mist or vapor. Avoid contact with eyes. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

**Conditions for safe storage, including any incompatibilities** Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components                                    | Type | Value                 | Form                 |
|---|------|-----------------------|----------------------|
| Glycerol (CAS 56-81-5)                        | PEL  | 5 mg/m <sup>3</sup>   | Respirable fraction. |
|   |      | 15 mg/m <sup>3</sup>  | Total dust.          |
| Propan-2-ol (Isopropyl Alcohol) (CAS 67-63-0) | PEL  | 980 mg/m <sup>3</sup> |                      |
|   |      | 400 ppm               |                      |

#### US. ACGIH Threshold Limit Values

| Components                                    | Type | Value                 | Form         |
|---|------|-----------------------|--------------|
| KEROSENE (CAS 8008-20-6)                      | TWA  | 200 mg/m <sup>3</sup> | Non-aerosol. |
| Propan-2-ol (Isopropyl Alcohol) (CAS 67-63-0) | STEL | 400 ppm               |              |
|   | TWA  | 200 ppm               |              |

#### US. NIOSH: Pocket Guide to Chemical Hazards

| Components                                    | Type | Value                  |
|---|------|------------------------|
| KEROSENE (CAS 8008-20-6)                      | TWA  | 100 mg/m <sup>3</sup>  |
| Propan-2-ol (Isopropyl Alcohol) (CAS 67-63-0) | STEL | 1225 mg/m <sup>3</sup> |
|   |      | 500 ppm                |
|   | TWA  | 980 mg/m <sup>3</sup>  |
|   |      | 400 ppm                |

### Biological limit values

#### ACGIH Biological Exposure Indices

| Components                                    | Value   | Determinant | Specimen | Sampling Time |
|---|---------|-------------|----------|---------------|
| Propan-2-ol (Isopropyl Alcohol) (CAS 67-63-0) | 40 mg/l | Acetone     | Urine    | *             |

\* - For sampling details, please see the source document.

### Exposure guidelines

#### US ACGIH Threshold Limit Values: Skin designation

KEROSENE (CAS 8008-20-6) Can be absorbed through the skin.

**Appropriate engineering controls** Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Chemical respirator with organic vapor cartridge and full facepiece.

#### Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

**Other** Wear suitable protective clothing. Use of an impervious apron is recommended.

**Respiratory protection** Chemical respirator with organic vapor cartridge and full facepiece.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

**General hygiene considerations**

When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

**9. Physical and chemical properties**

|   |                                |
|---|--------------------------------|
| <b>Appearance</b>                                   | Cream.                         |
| <b>Physical state</b>                               | Liquid.                        |
| <b>Form</b>   | Liquid.                        |
| <b>Color</b>  | Violet.                        |
| <b>Odor</b>   | Grape                          |
| <b>Odor threshold</b>                               | Not available.                 |
| <b>pH</b>   | 8.5                            |
| <b>Melting point/freezing point</b>                 | -127.3 °F (-88.5 °C) estimated |
| <b>Initial boiling point and boiling range</b>      | 180.5 °F (82.5 °C) estimated   |
| <b>Flash point</b>                                  | 145.0 °F (62.8 °C) estimated   |
| <b>Evaporation rate</b>                             | Not available.                 |
| <b>Flammability (solid, gas)</b>                    | Not available.                 |
| <b>Upper/lower flammability or explosive limits</b> |                                |
| <b>Flammability limit - lower (%)</b>               | 2.5 % estimated                |
| <b>Flammability limit - upper (%)</b>               | 12 % estimated                 |
| <b>Explosive limit - lower (%)</b>                  | Not available.                 |
| <b>Explosive limit - upper (%)</b>                  | Not available.                 |
| <b>Vapor pressure</b>                               | 5.2 hPa estimated              |
| <b>Vapor density</b>                                | Not available.                 |
| <b>Relative density</b>                             | Not available.                 |
| <b>Solubility(ies)</b>                              |                                |
| <b>Solubility (water)</b>                           | Not available.                 |
| <b>Partition coefficient (n-octanol/water)</b>      | Not available.                 |
| <b>Auto-ignition temperature</b>                    | 750.2 °F (399 °C) estimated    |
| <b>Decomposition temperature</b>                    | Not available.                 |
| <b>Viscosity</b>                                    | 6500 cP                        |
| <b>Viscosity temperature</b>                        | 68 °F (20 °C)                  |
| <b>Other information</b>                            |                                |
| <b>Density</b>                                      | 8.20 lb/gal                    |
| <b>Flammability class</b>                           | Combustible IIIA estimated     |
| <b>Kinematic viscosity</b>                          | 6608 cSt                       |
| <b>Kinematic viscosity temperature</b>              | 68 °F (20 °C)                  |
| <b>VOC (Weight %)</b>                               | 11.2 % by weight estimated     |

**10. Stability and reactivity**

|   |  |
|---|--|
| <b>Reactivity</b>                         | The product is stable and non-reactive under normal conditions of use, storage and transport.  |
| <b>Chemical stability</b>                 | Material is stable under normal conditions.  |
| <b>Possibility of hazardous reactions</b> | No dangerous reaction known under conditions of normal use.  |
| <b>Conditions to avoid</b>                | Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials. |
| <b>Incompatible materials</b>             | Acids. Strong oxidizing agents. Isocyanates. Chlorine.   |

**Hazardous decomposition products**

No hazardous decomposition products are known.

## 11. Toxicological information

**Information on likely routes of exposure**

|                     |   |
|---------------------|---|
| <b>Inhalation</b>   | May cause damage to organs through prolonged or repeated exposure by inhalation. Prolonged inhalation may be harmful. |
| <b>Skin contact</b> | No adverse effects due to skin contact are expected.  |
| <b>Eye contact</b>  | Causes serious eye irritation.  |
| <b>Ingestion</b>    | May be harmful if swallowed.  |

**Symptoms related to the physical, chemical and toxicological characteristics**

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

**Information on toxicological effects**

**Acute toxicity** May be harmful if swallowed.

| Components                                    | Species | Test Results      |
|---|---------|-------------------|
| D-limonene Untreated (CAS 5989-27-5)          |         |                   |
| <b>Acute</b>                                  |         |                   |
| <b>Oral</b>                                   |         |                   |
| LD50  | Mouse   | 5600 - 6600 mg/kg |
| Propan-2-ol (Isopropyl Alcohol) (CAS 67-63-0) |         |                   |
| <b>Acute</b>                                  |         |                   |
| <b>Oral</b>                                   |         |                   |
| LD50  | Mouse   | 4.5 g/kg          |

\* Estimates for product may be based on additional component data not shown.

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

**Serious eye damage/eye irritation** Causes serious eye irritation.

**Respiratory or skin sensitization**

**Respiratory sensitization** Not available.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity** No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

**IARC Monographs. Overall Evaluation of Carcinogenicity**

D-limonene Untreated (CAS 5989-27-5) 3 Not classifiable as to carcinogenicity to humans.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not listed.

**Reproductive toxicity** This product is not expected to cause reproductive or developmental effects.

**Specific target organ toxicity - single exposure** Not classified.

**Specific target organ toxicity - repeated exposure** May cause damage to organs through prolonged or repeated exposure.

**Aspiration hazard** Not available.

**Chronic effects** Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure.

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

| Components                                    |      | Species  | Test Results                 |
|---|------|--|------------------------------|
| D-limonene Untreated (CAS 5989-27-5)          |      |  |                              |
| <b>Aquatic</b>                                |      |  |                              |
| Crustacea                                     | EC50 | Water flea (Daphnia pulex)                             | 69.6 mg/l, 48 hours          |
| Fish  | LC50 | Fathead minnow (Pimephales promelas)                   | 0.619 - 0.796 mg/l, 96 hours |
| Glycerol (CAS 56-81-5)                        |      |  |                              |
| <b>Aquatic</b>                                |      |  |                              |
| Fish  | LC50 | Rainbow trout,donaldson trout<br>(Oncorhynchus mykiss) | 51000 - 57000 mg/l, 96 hours |
| Propan-2-ol (Isopropyl Alcohol) (CAS 67-63-0) |      |  |                              |
| <b>Aquatic</b>                                |      |  |                              |
| Fish  | LC50 | Bluegill (Lepomis macrochirus)                         | > 1400 mg/l, 96 hours        |

\* Estimates for product may be based on additional component data not shown.

**Persistence and degradability** No data is available on the degradability of this product.

**Bioaccumulative potential** No data available.

**Partition coefficient n-octanol / water (log Kow)**

|                                 |       |
|---------------------------------|-------|
| D-limonene Untreated            | 4.232 |
| Glycerol                        | -1.76 |
| Propan-2-ol (Isopropyl Alcohol) | 0.05  |

**Mobility in soil** No data available.

**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code** The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

**Waste from residues / unused products** Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

### 14. Transport information

**DOT**

Not regulated as dangerous goods.

**IATA**

Not regulated as dangerous goods.

**IMDG**

Not regulated as dangerous goods.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not available.

### 15. Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.  
One or more components are not listed on TSCA.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

**SARA 304 Emergency release notification**

Not regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not listed.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**  
Immediate Hazard - Yes  
Delayed Hazard - Yes  
Fire Hazard - Yes  
Pressure Hazard - No  
Reactivity Hazard - No

**SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312 Hazardous chemical** No

**SARA 313 (TRI reporting)**

Not regulated.

**Other federal regulations****Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.

**US state regulations****US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)**

Not listed.

**US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))**

KEROSENE (CAS 8008-20-6)  
Propan-2-ol (Isopropyl Alcohol) (CAS 67-63-0)

**US. Massachusetts RTK - Substance List**

Glycerol (CAS 56-81-5)  
KEROSENE (CAS 8008-20-6)  
Propan-2-ol (Isopropyl Alcohol) (CAS 67-63-0)

**US. New Jersey Worker and Community Right-to-Know Act**

Glycerol (CAS 56-81-5)  
KEROSENE (CAS 8008-20-6)  
Propan-2-ol (Isopropyl Alcohol) (CAS 67-63-0)

**US. Pennsylvania Worker and Community Right-to-Know Law**

Glycerol (CAS 56-81-5)  
KEROSENE (CAS 8008-20-6)  
Propan-2-ol (Isopropyl Alcohol) (CAS 67-63-0)

**US. Rhode Island RTK**

Propan-2-ol (Isopropyl Alcohol) (CAS 67-63-0)

**US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

**International Inventories**

| Country(s) or region | Inventory name   | On inventory (yes/no)* |
|----------------------|--|------------------------|
| Australia            | Australian Inventory of Chemical Substances (AICS)                     | No                     |
| Canada               | Domestic Substances List (DSL)   | No                     |
| Canada               | Non-Domestic Substances List (NDSL)                                    | No                     |
| China                | Inventory of Existing Chemical Substances in China (IECSC)             | No                     |
| Europe               | European Inventory of Existing Commercial Chemical Substances (EINECS) | No                     |
| Europe               | European List of Notified Chemical Substances (ELINCS)                 | No                     |

| Country(s) or region        | Inventory name  | On inventory (yes/no)* |
|-----------------------------|---|------------------------|
| Japan                       | Inventory of Existing and New Chemical Substances (ENCS)          | No                     |
| Korea                       | Existing Chemicals List (ECL)                                     | No                     |
| New Zealand                 | New Zealand Inventory   | No                     |
| Philippines                 | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | No                     |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory                     | No                     |

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

**Issue date** 11-04-2020

**Version #** 03

### Disclaimer

Malco Automotive cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### Revision Information

This document has undergone significant changes and should be reviewed in its entirety.