SAFETY DATA SHEET



1. Identification

Product identifier	Chroma Ultra Polish	
Other means of identification		
Product Code	1335	
Recommended use	Compound, Polishing Creme	e
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/I	Distributor information	
Manufacturer		
Company name	Presta Products	
Address	361 Fairview Ave	
	Barberton, OH 44203	
	United States	
Telephone	Phone	800-253-2526
	Fax	330-777-8317
Website	www.prestaproducts.com	
E-mail	msdsinfo@malcopro.com	
Contact person	Technical Department	
Emergency phone number	Phone	1-800-424-9300

2. Hazard(s) identification

Label elements

Physical hazards	Flammable liquids	Category 4
Health hazards	Acute toxicity, oral	Category 5
	Acute toxicity, inhalation	Category 5
	Serious eye damage/eye irritation	Category 2A
	Specific target organ toxicity, repeated exposure	Category 2
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	



Signal word	Warning
Hazard statement	Combustible liquid. May be harmful if swallowed. Causes serious eye irritation. May be harmful if inhaled. May cause damage to organs through prolonged or repeated exposure.
Precautionary statement	
Prevention	Keep away from flames and hot surfaces-No smoking. Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective gloves/eye protection/face protection.
Response	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media to extinguish.
Storage	Store in a well-ventilated place. Keep cool.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.

39.81% of the mixture consists of component(s) of unknown acute dermal toxicity. 32.81% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 32.81% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Glycerol		56-81-5	5 - < 10
KEROSENE		8008-20-6	5 - < 10
Solvent Naphtha (Petroleum), Medium Aliph.		64742-88-7	5 - < 10
Aluminum Oxide		1344-28-1	3 - < 5
"1,3-Bis(hydroxymethyl)-5,5-dimeth ylimidazolidine-2,4-dione"		6440-58-0	< 0.3
Sodium Hydroxide		1310-73-2	< 0.1
Other components below reportable le	evels		70 - < 80

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
5. Fire-fighting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	The product is combustible, and heating may generate vapors which may form explosive vapor/air mixtures. During fire, gases hazardous to health may be formed.
Special protective equipment	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special protective equipment and precautions for firefighters Fire fighting

equipment/instructions

Specific methods General fire hazards Use standard firefighting procedures and consider the hazards of other involved materials. Combustible liquid.

so without risk.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do

Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material.	
	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.	
	Small Spills: Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.	
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.	
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.	
7. Handling and storage		
Precautions for safe handling	Keep away from open flames, hot surfaces and sources of ignition. Do not breathe mist or vapor. Do not taste or swallow. Avoid contact with eyes. Avoid prolonged exposure. When using, do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.	
Conditions for safe storage, including any incompatibilities	Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see Section 10 of the SDS).	

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Aluminum Oxide (CAS 1344-28-1)	PEL	5 mg/m3	Respirable fraction.
,		15 mg/m3	Total dust.
Glycerol (CAS 56-81-5)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Sodium Hydroxide (CAS 1310-73-2)	PEL	2 mg/m3	
US. ACGIH Threshold Lim	it Values		
Components	Туре	Value	Form
KEROSENE (CAS 8008-20-6)	TWA	200 mg/m3	Non-aerosol.
Sodium Hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3	
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	
KEROSENE (CAS 8008-20-6)	TWA	100 mg/m3	
Sodium Hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3	
logical limit values	No biological exposure limits noted f	or the ingredient(s).	
osure guidelines			
US ACGIH Threshold Limi	t Values: Skin designation		
KEROSENE (CAS 8008	3-20-6) Can	be absorbed through the skin.	
propriate engineering trols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.		
vidual protection measures	s, such as personal protective equipm	nent	
Eye/face protection	Chemical respirator with organic vap	or cartridge and full faceniece	

Skin protection Hand protection	Wear appropriate chemical resistant gloves.
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection	Chemical respirator with organic vapor cartridge and full facepiece.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	When using do not smoke. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid. Cream.
Color	Green.
Odor	Watermelon.
Odor threshold	Not available.
рН	8
Melting point/freezing point	68 °F (20 °C) / 896.83 °F (480.46 °C) estimated
Initial boiling point and boiling range	1211.25 °F (655.14 °C) estimated
Flash point	145.0 °F (62.8 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.06 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	20000 cP
Viscosity temperature	68 °F (20 °C)
Other information	
Density	8.70 lbs/gal
Explosive properties	Not explosive.
Flammability class	Combustible IIIA estimated
Kinematic viscosity	23955 cSt
Kinematic viscosity temperature	68 °F (20 °C)
Oxidizing properties	Not oxidizing.
VOC	15.98 % w/w By Weight
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use.

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.

Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May be harmful if inhaled. May cause damage to organs through prolonged or repeated exposure by inhalation.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Causes serious eye irritation.
Ingestion	May be harmful if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Information on toxicological effects

Acute toxicity

May be harmful if inhaled. May be harmful if swallowed.

Acute toxicity	May be narman in innaica. May be			
Components	Species	Test Results		
"1,3-Bis(hydroxymethyl)-5,5-dime	thylimidazolidine-2,4-dione" (CAS 64	40-58-0)		
Acute				
Oral				
LD50	Rat	2 g/kg		
Skin corrosion/irritation	Prolonged skin contact may cause	e temporary irritation.		
Serious eye damage/eye irritation	Causes serious eye irritation.			
Respiratory or skin sensitizatio	n			
Respiratory sensitization	Not a respiratory sensitizer.			
Skin sensitization	This product is not expected to ca	use skin sensitization.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.			
Carcinogenicity	Not classifiable as to carcinogenio	bity to humans.		
IARC Monographs. Overall	Evaluation of Carcinogenicity			
Not listed.				
OSHA Specifically Regulate	ed Substances (29 CFR 1910.1001	-1052)		
Not regulated.				
	ogram (NTP) Report on Carcinoge	ns		
Not listed.	This was durat is wat supported to as			
Reproductive toxicity		use reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Not classified.			
Specific target organ toxicity - repeated exposure	May cause damage to organs three	bugh prolonged or repeated exposure.		
Aspiration hazard	Not an aspiration hazard.			
Chronic effects	May cause damage to organs thro be harmful.	bugh prolonged or repeated exposure. Prolonged inhalation may		
12. Ecological information	n			

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results	
Glycerol (CAS 56-81-5)				
Aquatic				
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	51000 - 57000 mg/l, 96 hours	
Sodium Hydroxide (CAS 131	0-73-2)			
Aquatic				
Fish	LC50	Western mosquitofish (Gambusia affini	s) 125 mg/l, 96 hours	
ersistence and degradability	No data is a	vailable on the degradability of this produc	t.	
Bioaccumulative potential				
Partition coefficient n-octa	nol / water (log	l Kow)		
Glycerol		-1.76		
lobility in soil	No data ava	No data available.		
Other adverse effects	The product contains volatile organic compounds which have a photochemical ozone creation potential.			
3. Disposal consideratio	ns			
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.			
ocal disposal regulations	Dispose in accordance with all applicable regulations.			
lazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.			
Vaste from residues / unused roducts	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).			
contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after conta emptied. Empty containers should be taken to an approved waste handling site for recycling disposal.			
4. Transport information	Ì			

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations	This product is a "Hazar Standard, 29 CFR 1910.	dous Chemical" as defined by the OSHA Hazard Communication 1200.
Not regulated.	ort Notification (40 CFR 707, stance List (40 CFR 302.4)	Subpt. D)
Sodium Hydroxide (C/ SARA 304 Emergency re	,	Listed.
Not regulated. OSHA Specifically Regul Not regulated.	ated Substances (29 CFR 1	910.1001-1052)
Superfund Amendments and SARA 302 Extremely haz Not listed.		6 (SARA)
SARA 311/312 Hazardou chemical	s Yes	

Classified hazard categories	Flammable (gases, aerosols, liquids, or solids) Acute toxicity (any route of exposure) Serious eye damage or eye irritation Respiratory or skin sensitization
	Specific target organ toxicity (single or repeated exposure)

Chemical name		CAS number	% by wt.	
Aluminum Oxide		1344-28-1	3 - < 5	
her federal regulations				
Clean Air Act (CAA) Section	n 112 Hazardous Air P	ollutants (HAPs) List		
Not regulated. Clean Air Act (CAA) Section	n 112(r) Accidental Re	lease Prevention (40 C	FR 68.130)	
Not regulated.				
Safe Drinking Water Act (SDWA)	Not regulated.			
FEMA Priority Substan	ces Respiratory Healt	h and Safety in the Flav	or Manufacturing Wo	orkplace
Glycerol (CAS 56-8	1-5)	Other Flavori	ng Substances with OS	SHA PEL's
state regulations				
California Proposition 65				
	ate Chemicals List. Sa	fer Consumer Products	Regulations (Cal. Co	ode Regs, tit. 22, 69502.3,
SUDD. (a))				
subd. (a)) KEROSENE (CAS & Sodium Hydroxide (
KEROSENE (CAS 8				
KEROSENE (CAS & Sodium Hydroxide (On inventory (yes/no)
KEROSENE (CAS & Sodium Hydroxide (ernational Inventories	CAS 1310-73-2)	of Chemical Substances	(AICS)	
KEROSENE (CAS & Sodium Hydroxide (ernational Inventories Country(s) or region	CAS 1310-73-2)		(AICS)	No
KEROSENE (CAS & Sodium Hydroxide (ernational Inventories Country(s) or region Australia	CAS 1310-73-2) Inventory name Australian Inventory	s List (DSL)	(AICS)	No
KEROSENE (CAS & Sodium Hydroxide (ernational Inventories Country(s) or region Australia Canada	CAS 1310-73-2) Inventory name Australian Inventory Domestic Substance Non-Domestic Subst	s List (DSL)		Ne Ne
KEROSENE (CAS & Sodium Hydroxide (ernational Inventories Country(s) or region Australia Canada Canada	CAS 1310-73-2) Inventory name Australian Inventory Domestic Substance Non-Domestic Subst Inventory of Existing	s List (DSL) ances List (NDSL) Chemical Substances in of Existing Commercial C	China (IECSC)	Ni Ni Ni Ni
KEROSENE (CAS & Sodium Hydroxide (ernational Inventories Country(s) or region Australia Canada Canada China	CAS 1310-73-2) Inventory name Australian Inventory Domestic Substance Non-Domestic Subst Inventory of Existing European Inventory of Substances (EINECS	s List (DSL) ances List (NDSL) Chemical Substances in of Existing Commercial C	China (IECSC) Chemical	Ni Ni Ni Ni Ni
KEROSENE (CAS & Sodium Hydroxide (ernational Inventories Country(s) or region Australia Canada Canada China Europe	CAS 1310-73-2) Inventory name Australian Inventory Domestic Substance Non-Domestic Subst Inventory of Existing European Inventory of Substances (EINECS European List of Not	s List (DSL) ances List (NDSL) Chemical Substances in of Existing Commercial (S)	China (IECSC) Chemical es (ELINCS)	Ni Ni Ni Ni Ni Ni
KEROSENE (CAS & Sodium Hydroxide (ernational Inventories Country(s) or region Australia Canada Canada China Europe	CAS 1310-73-2) Inventory name Australian Inventory Domestic Substance Non-Domestic Subst Inventory of Existing European Inventory of Substances (EINECS European List of Not	s List (DSL) ances List (NDSL) Chemical Substances in of Existing Commercial (S) fied Chemical Substanc and New Chemical Subs	China (IECSC) Chemical es (ELINCS)	N N N N N N N N N
KEROSENE (CAS & Sodium Hydroxide (ernational Inventories Country(s) or region Australia Canada Canada China Europe Europe Japan	CAS 1310-73-2) Inventory name Australian Inventory Domestic Substance Non-Domestic Subst Inventory of Existing European Inventory of Substances (EINECS European List of Not Inventory of Existing	s List (DSL) ances List (NDSL) Chemical Substances in of Existing Commercial (5) fied Chemical Substanc and New Chemical Substanc ist (ECL)	China (IECSC) Chemical es (ELINCS)	N N N N N N N N N N N N N
KEROSENE (CAS & Sodium Hydroxide (ernational Inventories Country(s) or region Australia Canada Canada China Europe Europe Japan Korea	CAS 1310-73-2) Inventory name Australian Inventory Domestic Substance Non-Domestic Subst Inventory of Existing European Inventory of Substances (EINECS European List of Not Inventory of Existing Existing Chemicals L New Zealand Inventor	s List (DSL) ances List (NDSL) Chemical Substances in of Existing Commercial (5) fied Chemical Substanc and New Chemical Substanc ist (ECL)	China (IECSC) Chemical es (ELINCS) stances (ENCS)	Ne Ne Ne Ne Ne Ne Ne Ne Ne Ne Ne
KEROSENE (CAS & Sodium Hydroxide (ernational Inventories Country(s) or region Australia Canada Canada China Europe Europe Japan Korea New Zealand	CAS 1310-73-2) Inventory name Australian Inventory Domestic Substance Non-Domestic Subst Inventory of Existing European Inventory of Substances (EINECS European List of Not Inventory of Existing Existing Chemicals L New Zealand Inventory (PICCS)	s List (DSL) ances List (NDSL) Chemical Substances in of Existing Commercial (5) fied Chemical Substanc and New Chemical Subs ist (ECL)	China (IECSC) Chemical es (ELINCS) stances (ENCS)	On inventory (yes/no) Na Na Na Na Na Na Na Na Na Na Na Na

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	05-01-2018
Revision date	05-01-2018
Version #	02
Disclaimer	Presta Products cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Composition / Information on Ingredients: Ingredients Physical & Chemical Properties: Multiple Properties GHS: Classification